

The following claims will replace all prior versions of the claims in this application (in the unlikely event that no claims follow herein, the previously pending claims will remain):

- 1. (Cancelled)
- 2. (Currently Amended) A lubricant composition according to elaim 1 claim 25 in which the base oil component comprises at least 55% by weight of alkylbenzene and at most 45% by weight of a polyol ester.
- 3. (Currently Amended) A lubricant composition according to elaim 1 claim 25 in which the base oil component consists essentially of alkylbenzene and polyol ester.
- 4. (Currently Amended) A lubricant composition according to elaim 1 claim 25 in which the alkylbenzene component is selected from the group consisting of mono-alkylbenzenes, di-alkylbenzenes, di-phenylalkanes and mixtures thereof.
- 5. (Currently Amended) A lubricant composition according to elaim 1 claim 25 in which the alkylbenzene component has a molecular distribution in which at least 80% of the molecular weight fraction is greater than 200.
- 6. (Currently Amended) A lubricant composition according to elaim 1 claim 25 in which the alkylbenzene component has a molecular distribution in which at least 70% of the molecular weight fraction is below 500.
- 7. (Currently Amended) A lubricant composition according to claim 1 claim 25 in which the alkylbenzene component has a kinematic viscosity of at least 10 cSt, but not more than 70 cSt at 40°C and a kinematic viscosity of at least 2 cSt, but not more than 10 cSt at 100°C.

Application No. 10/647;531

Amendment dated September 11, 2006

Page 3

8. (Currently Amended) A lubricant composition according to claim 1 claim 25 in which the alkylbenzene component has a pour point of less than -10°C.

- 9. (Currently Amended) A lubricant composition according to elaim 1 claim 25 in which the alkylbenzene component has an acid number of less than 0.04 mgKOH/g.
- 10. (Currently Amended) A lubricant composition according to claim 1 claim 25 in which the polyol ester component comprises at least one polyol ester that is a reaction product of a polyhydric alcohol and a monobasic carboxylic acid.
- 11. (Currently Amended) A lubricant composition according to claim 1 claim 25 in which the polyol ester component is at least one polyol ester that is a reaction product of one or more alcohols selected from neopentylglycol (NPG), trimethylol-propane (TMP) and pentaerythritol (PE) and dimers and trimers thereof and one or more acids selected from linear and/or branched C₅ to C₁₈ acids.
- 12. (Currently Amended) A lubricant composition according to claim 1 claim 25 in which the polyol ester component has a kinematic viscosity of at least 5 cSt but not more than 40 cSt and a kinematic viscosity of at least 1.5 cSt but not more than 5 cSt at 100°C.
- 13. (Currently Amended) A lubricant composition according to claim 1 claim 25 in which the polyol ester component has a pour point of less than -40°C.
- 14. (Currently Amended) A lubricant composition according to claim 1 claim 25 in which the polyol ester component has an acid number of less than 0.04 mgKOH/g.
- 15. (Currently Amended) A lubricant composition according to claim 1 claim 25 which has a kinematic viscosity of at least 5 cSt but not more than 40 cSt at 40°C and a kinematic viscosity of at least 2 cSt but not more than 6 cSt at 100°C.

Application No. 10/647,531

Amendment dated September 11, 2006

Page 4

- 16. (Currently Amended) A lubricant composition according to elaim 1 claim 25 which has a pour point of not more than -40°C.
- 17. (Currently Amended) A lubricant composition according to claim 1 claim 25 which comprises one or more lubricant additives selected from antioxidants, anti-wear additives, extreme pressure agents, acid scavengers, foaming agents, anti-foaming agents, stabilisers, surfactants, viscosity index improvers, corrosion inhibitors, metal deactivators or passivators, lubricity improvers or oiliness agents and friction modifiers at levels between 0.0001 and 20 weight% based on the weight of the base oil component.
- 18. (Cancelled).
- 19. (Currently Amended) A method of lubricating a rotary vane compressor comprising charging the compressor with a lubricant composition as defined in claim 4 claim 25.
- 20. (Currently Amended) A rotary vane compressor charged with a lubricant composition as defined in claim 1 claim 25.
- 21. (Currently Amended) A refrigeration system comprising a rotary vane compressor, said system being charged with a refrigerant comprising a chlorine-free, fluorine-containing heat transfer fluid and a lubricant composition as defined in claim 1 claim 25.
- 22. (Previously Presented) A refrigeration system according to claim 21 in which the refrigerant is a hydrofluorocarbon.
- 23. (Currently Amended) A refrigeration system according to claim 22 in which the refrigerant is selected from the group comprising R-32, R-116, R125 R-125, R134a, R-143a and mixtures thereof.

Application No. 10/647;531

Amendment dated September 11, 2006

Page 5

- 24. (Previously Presented) In claim 19, the rotary vane compressor is a fixed-vane compressor.
- 25. (Previously Presented) A lubricant composition comprising alkyl benzene and at least 25% by weight polyol ester, wherein the alkyl benzene has a molecular distribution in which at least 50% of the molecular weight fraction is greater than 350.
- 26. (Cancelled)
- 27. (Currently Amended) A lubricant composition according to elaim 1 claim 25 in which the base oil component comprises at least between 60% and 75% by weight of alkyl benzene and between 40% and 25% by weight of polyol ester.
- 28. (Currently Amended) The lubricant composition according to claim 1 claim 25 in which the alkylbenzene component has a molecular distribution in which at least 50% of the molecular weight fraction is below 450.
- 29. (Currently Amended) The lubricant composition according to elaim 1 claim 25 in which the alkylbenzene component has a kinematic viscosity of at least 25 cSt, but not more than 70 cSt at 40°C and a kinematic viscosity of at least 3.5 cSt, but not more than 10 cSt at 100°C.
- 30. (Currently Amended) The lubricant composition according to claim 1 claim 25 in which the alkylbenzene component has a pour point of less than -30°C.
- 31. (Currently Amended) The lubricant composition according to claim 1 claim 25, wherein the alkyl benzene includes an alkyl component that is branched.
- 32. (Currently Amended) The lubricant composition according to claim 1 claim 25, in which the polyol ester component comprises at least one polyol ester that is a reaction product of a polyhydric alcohol and one or more acids selected

Application No. 10/647,531

Amendment dated September 11, 2006

Page 6

from linear and/or branched C₅ to C₉ acids.

- 33. (Currently Amended) The lubricant composition according to claim 1 claim 25, wherein the polyol ester has a kinematic viscosity of at least 5 cSt and no more than 25 cSt at 40 °C, and a kinematic viscosity of at least 1.5 cSt and no more than 4 cSt at 100 °C.
- 34. (Currently Amended) The lubricant composition according to claim 1 claim 25, wherein the polyol ester component has a pour point of less than -55 °C.
- 35. (Currently Amended) The lubricant composition according to elaim 1 claim 25, wherein the composition has a kinematic viscosity of at least 5 cSt and no more than 25 cSt at 40 °C and a kinematic viscosity of at least 2 cSt and no more than 5 cSt at 100 °C.
- 36. (Previously Presented) A refrigeration system according to claim 21 in which the refrigerant is selected from the group comprising difluoromethane (R-32), trifluoromethane (R-23), 1,1,2,2-tetrafluoroethane (R-134),1,1,1,2-tetrafluoroethane (R-134a), 1,1-trifluoroethane (R-143a), 1,1-difluoroethan (R-152a) pentafluoroethane (R-125) and hexafluoroethane (R-116) and mixtures of two or more thereof.